RSS Pro and RSS Pro Details pages

**RSS Pro**

RSS Pro Details

The RSS Pro page type is used to display the list of RSS feeds loaded from a specified URL. It is possible to customize design of the main page containing the RSS feeds.

RSS Pro is used together with **RSS Pro Details** page in which the content of the feed is displayed. In RSS Pro Details you can customize design and outlay of the content.

RSS Pro must be tested on device using SC previewer app.

Customization of RSS Pro is done in the Edit RSS page.

EDIT MODE click on iPhone to edit

Design </>HTML

AT&T 7:30 PM

[%=title%]

[%for-each items%]

? [%=title%] >

[%end for-each%]

Design </>HTML

Edit RSS Page

rsspro.html

This is a RSS Pro page. To convert this page to a different type click Convert.

NOTE: The page displayed in the simulator on the left is for RSS page design customization ONLY. Here you may observe the SC predefined tags. Once the RSS URL is set up, the specified information will be displayed on devices ONLY. You will be able to thoroughly test this page type as soon as the SeattleClouds app, version 3.1, appears on AppStore.

To change PAGE STYLE click HERE.

Save   Done

☐ Share and Review on Facebook

Top Banner: ○ AdMob ○ iAd ● None

Bottom Banner: ○ AdMob ○ iAd ● None

Transition: ● Slide ○ Curl ○ Flip ○ None

Header Image: rsspro-header.png

Header Title: [%=title%]

Feed Details Page (required):
   (none)
   ✓ rssprodetails.html

NOTE: The above list is for RSS Pro Detail pages only. If the list is empty, please, create a RSS Pro Details page (customize design, content) and it should appear in the above list.

You can change the header image;
link to the feed details page (an RSS Pro Details type page in your project app) and;
specify the URL of RSS:

RSS Url:
http://blog.seattleclouds.com/feed

Customization of design and layout is achieved by editing appropriate styles in the HTML code of the page.

Ex: Edit within the style tag.

RSS Pro page displaying list of feeds (seen on the device)

Customization of RSS Pro Detail is done in the Edit HTML Page

Design </>HTML

.ıll AT&T 7:30 PM

[%=title%]

[%=content%]

Design </>HTML

Page is edited as an ordinary HTML page. Use word editing tools to customize font, size, color, background, etc of the page and content that will be displayed (the RSS feed).

Design </>HTML

.ıll AT&T 7:30 PM

```
1
2  <div style="text-align:center; width: 310p:
3    <h2>[%=title%]</h2> <br>
4    <b>[%=content%]</b>
5  </div>
6
```

Customization of design and layout can also be achieved by editing property values of classes defined in style.css

```
color:#666666;
text-decoration:none;
font-weight:bold;

}
h1
{
font-family: "Lucida Sans Unicode";
font-size: 18pt;
color: #474747;
font-weight: regular;

}
h2
{
ffont-family: "Lucida Sans Unicode";
font-size: 14pt;
color: #474747;
font-weight: regular;

}
h3
{
font-family: "Lucida Sans Unicode";
font-size: 12pt;
color: #474747;
font-weight: bold;
```

RSS Pro Details page displaying the feed (seen on the device)

Finally specify the page to navigate to from RSS Pro Details.

These pages use SC special tags **[%= %]** to populate the page with content of the respective tag from the RSS feed.
For instance:

```
1 [%=title%]
```

is populated with the content of "title" tag of the RSS feed:

```
1 <title>SeattleClouds Blog</title>
```

Tags:

```
1 [%=content%]
2 [%=description%]
```

are populated with content of the respective tag of the RSS feed:

```
1 <content>...</content>
```

For a link the following structure should be used:

```
1 <a href="[%=link%]">text or special tag</a>
```