




























Please, look through the list bellow and see how you can enrich your apps.

URL Scheme	Description	Platform Support
addtocart://	<p>Adds an item to the user's shopping cart. The scheme has four parameters: item name, item price, URL of item info and URL of an image. All parameters are separated with an ampersand (&).</p> <p>Example:</p> <pre>Add item to your shopping cart</pre>	
bgplayer-play://	<p>Plays an audio file in the background.</p> <p>Example:</p> <pre>Track #1</pre>	
bgplayer-stop://	<p>Stops background playback.</p> <p>Example:</p> <pre>Stop background player</pre>	
bookmark://	<p>Bookmarks book pages in our BookStore template.</p> <p>Example:</p> <pre>Go to bookmark</pre>	
buy://	<p>Links a user to selling an item by its ID on a web page.</p> <p>Example:</p> <pre>Buy product </pre> <p>**NOTE: You can find your Non-Consumable Product ID in In-App Purchase Summary section.</p> <p>Example:</p> <pre>Photo everyone with a hat</pre>	
counterenter://	<p>Limits user to a specified number of page visits to a linked page or sets to zero the number of visits of the page if <code>resetzero</code> parameter is presented.</p> <p>Example:</p> <pre>Access my secret page just once Reset the number of your visits</pre>	
external://	<p>Opens a linked page in a default web browser. This scheme will take user out of your application.</p>	

URL Scheme	Description	Platform Support
facebook://	<p>Example:</p> <pre data-bbox="416 315 1401 344">SeattleClouds</pre> <p>Posts a screenshot of current app page to user's Facebook wall. This URL scheme requires no arguments.</p> <p>Example:</p> <pre data-bbox="416 510 1350 539">Let your Facebook friends see this page</pre>	
file://	<p>Opens a local file from app's resources.</p> <p>Example:</p> <pre data-bbox="416 674 1094 703">About me</pre>	
globe://	<p>Links a user to a globe-type page from our page type menu. The globe carries location marks that can be edited in our online editor.</p> <p>Example:</p> <pre data-bbox="416 869 1222 931">Our offices worldwide</pre>	
latlong://	<p>Sends following coordinates to Google Maps API. Map opens up inside UI WebView without leaving the app.</p> <p>Example:</p> <pre data-bbox="416 1104 1230 1133">Somewhere in the Pacific</pre>	 
local://	<p>Allows web sites loaded in In-App Browser or Mobile pages to link to internal resources of the app.</p> <p>Example:</p> <pre data-bbox="416 1299 1203 1328">Start page of our app</pre>	 
logout://	<p>If your app allows users to register their own accounts, this scheme will log them out.</p> <p>Example:</p> <pre data-bbox="416 1496 890 1525">Log out<a></pre>	
map://	<p>Links a user to a map inside the app displaying location of preset address using Google Maps.</p> <p>Example:</p> <pre data-bbox="416 1686 1353 1776">Infinite Loop, Cupertino, Santa Clara, California 95014</pre>	
movie://	<p>Opens a linked media file in QuickTime player.</p> <p>Example:</p> <pre data-bbox="416 1910 1267 1939">Play movie in QuickTime</pre>	 
ratings://	<p>Allows users to rate and comment a linked page on Facebook.</p> <p>Example:</p>	

URL Scheme	Description	Platform Support
removefromcart://	<p data-bbox="419 280 1329 313"><code>My gallery on Facebook</code></p> <p data-bbox="419 365 1102 398">Removes an item from user's shopping cart by its ID.</p> <p data-bbox="419 423 544 456">Example:</p> <p data-bbox="419 463 1345 495"><code>Remove item from cart</code></p>	
sendmail://	<p data-bbox="419 539 1297 607">Prompts user to send an email to an indicated email address without leaving an app.</p> <p data-bbox="419 618 544 651">Example:</p> <p data-bbox="419 658 1153 689"><code>Email me</code></p>	 
sharemail://	<p data-bbox="419 736 1337 804">Creates a screenshot of current app page and prompts user so send it by email. This URL scheme requires no arguments.</p> <p data-bbox="419 815 544 848">Example:</p> <p data-bbox="419 855 1217 922"><code>Send a screenshot of this page by email</code></p>	
sound://	<p data-bbox="419 967 1337 1077">Plays a sound file in OS' default player. The scheme was designed with audio effects in mind, so the playback can not be stopped. On iOS the audio file can only be 30 seconds long and of WAV format.</p> <p data-bbox="419 1088 544 1122">Example:</p> <p data-bbox="419 1128 983 1160"><code>Alert</code></p>	 
uploadphoto://	<p data-bbox="419 1211 1070 1245">Uploads an image file to a preselected file hosting.</p> <p data-bbox="419 1267 544 1301">Example:</p> <p data-bbox="419 1308 1313 1375"><code>Choose a photo to upload on the web</code></p>	
xaudio://	<p data-bbox="419 1424 1126 1458">Plays an audio file or stream in OS' default player.</p> <p data-bbox="419 1469 544 1503">Example:</p> <p data-bbox="419 1509 1094 1541"><code>Track #1</code></p>	
xvideo://	<p data-bbox="419 1581 1110 1615">Plays a video file or stream in OS' default player.</p> <p data-bbox="419 1626 544 1659">Example:</p> <p data-bbox="419 1666 1062 1697"><code>Clip #1</code></p>	